

UNCOMPROMISING RELIABILITY AND DESIGN

The Orchestra™ patio door's leading-edge is your guarantee of reliability, strength, performance, easy maintenance and contemporary allure

SMOOTH SASH OPERATION

High-performance rollers allow effortless sash handling.

SUPERIOR ENERGY EFFICIENCY

The frame configuration locates the sash and thermos in the insulated part of the wall for a great performance and a surface condensation resistance improvement.

SUPERIOR **QUALITY** AND **DURABILITY**

Reinforced frame & sashes, standard aluminum screen and high-performance roller systems.

ENHANCED **SECURITY**

Various configurations offered for enhanced forced-entry resistance.

MAINTENANCE-FREE

Smooth and glossy interior and exterior surfaces for a refined appearance and easy maintenance.



Maximum **Energy** Efficiency

The Orchestra™ patio door is ENERGY STAR® qualified.

Performance and durability

(AAMA/WDMA/CSA 101/I.S.2/A440)

Our patio doors meet the most demanding construction standards and are industry leaders for air and water tightness, wind resistance and security.







A **Hybrid version** (aluminum exterior & PVC interior) is also offered.

Various **styles** and **grid** patterns.

A choice of colors to suit any decor with a ENERGI paint program consisting of more than **40 standard colors** for interior and exterior, we will also match your color sample.

New construction and remodeling projects easily planned with a selection of configurations and sizes.

Many standard **options** are available to meet requirements: Brickmould, frame and sill extensions, cladding, sidelite, transom, etc.



OPTIONS

Lift and Slide

The lift & Slide handle lets you operate the sash effortless, and increases its tightness.

The "Icon" stylish design handle is offered with an integrated lock system in five different finishes: white, black, bronze, brushed chrome and brushed nickel.





Enhanced security

The aluminum security bar attached to the frame, the footlock, the exterior key lock, the 4-point multipoint locking system for enhanced forced-entry resistance.



Superior **Quality** and **Durability**



Frame and Sashes

7 ¼" sturdy all vinyl frame, mechanically assembled

3 ½" rigid welded sashes reinforced at stiles for superior stiffness and optimal operation

1" Low-E with Argon double sealed glass unit or 1 ¼" triple sealed glass unit for an excellent energy coefficient

Smooth and glossy interior and exterior surfaces for a refined appearance and easy maintenance

Effortless operation and outstanding tightness



High performance roller system for a fluid operation

Full perimeter double weatherstrip and quadruple at meeting rail for a remarkable performance

Specially designed drainage cavity system to ensure better water drainage

Aluminum screen with easy levelling rollers for a smooth operation

Anodized aluminum sill reduces maintenance and provides long-term durability

Warranties

ENERGI Fenestration Solutions offers the following warranty to its manufacturers. The manufacturer's warranty may vary.

20 years on PVC profiles; 20 years on sealed unit; 10 years on hardware



ENERGI Fenestration Solutions cares about our planet's well-being. Our products are durable, provide important energy savings and are 100% recyclable..



Terrebonne, Quebec 1 866 777-1210 Woodbridge, Ontario 1 866 339-9085

OrchestraPatioDoors.com EnergiPatioDoors.com

Printed in Canada - 042015

ENERGI is not responsible for any errors or omissions, and reserves the right to modify design, characteristics and products without previous notice.

Manufactured by